

**From:** [Meyer, John](#)  
**To:** [Canellas, Bart](#)  
**Cc:** [Coltrain, Katrina](#)  
**Subject:** RE: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property  
**Date:** Wednesday, January 21, 2015 5:44:51 PM  
**Attachments:** [AX-15-000-4260-Wilcox Superfund Site 01-20-15 draft JCM comments.doc](#)

---

I am thinking something shorter and direct. My edits attached.

---

**From:** Canellas, Bart  
**Sent:** Wednesday, January 21, 2015 2:45 PM  
**To:** Meyer, John  
**Subject:** FW: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

John, what you think now?

Mark took a cut to making some changes, and left more open any future action, rather than saying no immediate action at this time.

There is a call on Monday at 2:00 PM with A Brittain of ODEQ and Removal.

Bart

---

**From:** Hayes, Mark  
**Sent:** Wednesday, January 21, 2015 12:30 PM  
**To:** Canellas, Bart  
**Subject:** RE: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Bart,

Attached draft including my comments and ammendments.

---

**From:** Canellas, Bart  
**Sent:** Tuesday, January 20, 2015 11:29 AM  
**To:** Hayes, Mark  
**Subject:** RE: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

I took a shot to making a draft of a possible response, based in another site that they wrote to Obama and got the control. Take a look to the attached draft.

And I see results, one sample with high numbers. We can further talk tomorrow.

Bart

---

**From:** Hayes, Mark  
**Sent:** Tuesday, January 20, 2015 9:48 AM  
**To:** Canellas, Bart  
**Subject:** RE: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Bart,

Attached sample results and map. I'll be in the office tomorrow and can discuss with you then. If there's any other info you need from me in the meantime please let me know.

Also got word from Todd Downham late last week that (b) (6) and his family may be living elsewhere. Not sure if it's a permanent or temporary.

---

**From:** Canellas, Bart  
**Sent:** Tuesday, January 20, 2015 8:49 AM  
**To:** Horner, Jo  
**Cc:** Hayes, Mark  
**Subject:** FW: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Can you send me and Mark Hayes (Removal) the *(file: AX-15-000-4260-WH (b) (6) - High level of lead on property.pdf)*

So that we could work out a response.

Thanks

Bartolome J Canellas (6SF-RL)  
Remedial Project Manager  
LA/NM/OK Remedial Section  
EPA Region 6 - Superfund Program  
Office: (214) 665-6662

---

**From:** Coltrain, Katrina  
**Sent:** Tuesday, January 20, 2015 8:06 AM  
**To:** Canellas, Bart  
**Subject:** RE: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Good Morning, I am not certain if John sent you any updates on this, so I am sending one. If

this is redundant, then please ignore.

We had a meeting with the team, and the decision is that a letter will be sent to the control requester. You and Mark have been assigned as the leads. The idea is to send a letter describing how ODEQ and EPA have been on site, that EPA was on site sampling when the request was sent, that EPA has the data and is including for his review, etc. There was also talk about coordinating with the local health department for some lead education and perhaps a meeting.

Katrina Higgins-Coltrain  
Remedial Project Manager  
Louisiana/Oklahoma/New Mexico Section (6SF-RL)  
Superfund Division  
1445 Ross Avenue, Dallas, TX 75202  
214-665-8143

---

**From:** Meyer, John  
**Sent:** Wednesday, January 14, 2015 8:57 AM  
**To:** Coltrain, Katrina; Canellas, Bart  
**Cc:** Webster, Susan; Crossland, Ronnie; Delgado, Stephanie  
**Subject:** FW: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Katrina,  
Please work with Bart and Removal to pull together a response to this control. It is the Wilcox site.

---

**From:** Phillips, Pam  
**Sent:** Tuesday, January 13, 2015 6:08 PM  
**To:** Banipal, Ben; Villarreal, Chris; Meyer, John; Crossland, Ronnie; Petersen, Chris; Talton, Anthony  
**Subject:** FW: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

This goes with previous email

---

**From:** Horner, Jo  
**Sent:** Tuesday, January 13, 2015 3:36 PM  
**To:** Edlund, Carl; Phillips, Pam  
**Subject:** FW: Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

Is there anyone else you would like to have this Control forwarded to?

Jo Horner  
EPA Superfund , 6SF/SEE  
214-665-7366

---

**From:** Dana Braden [<mailto:Braden.Dana@epamail.epa.gov>] **On Behalf Of** RA Controls  
**Sent:** Tuesday, January 13, 2015 3:28 PM  
**To:** Garbart, Patrick; McGee, Tomika; Horner, Jo  
**Subject:** Information Control - No Response is Required for: AX-15-000-4260-WH (b) (6) - High level of lead on property

HQ's Controlled Management System (CMS) has forwarded this to Regional 6 for information purposes only. No response is required. Please make sure that the appropriate personnel within your division receive this information.

*(See attached file: AX-15-000-4260-WH (b) (6) - High level of lead on property.pdf)*

Thanks,  
Dana Braden, 5-7404